



**Milijuli Kalinchowk Saving And Credit Co-operative Limited**  
**Bhimeshwor-6, Charikot Dolakha**

**Price Quotation of**  
**Furniture and False Ceiling**

Date:-.....

SN.	Description of Item	Unit	Quantity	Rate (Rs.) without VAT	Rate in Words	Remarks
<b>1</b>	<b>FALSE CEILING</b>					
1.1	<b>Gypsum False Ceiling</b>					
	Providing and fixing Gypsum false ceiling with drops as per drawing including providing and fixing G.I. Frame work as per specification at a distance of 2'6" c/c both ways complete with 12.5mm board and all necessary perimeter channels etc. Board: Elephant, Gyproc or equivalent, GI Framework: GypRoc	sq. ft./r. ft.	1.00			
1.2	<b>Wooden Ceiling</b>					
	Providing & fixing in position false ceiling made out of 10mm MR plywood. All exposed surfaces to be laminated with 2mm thk. Natural veneer of approved shade. Ply: Hitech, Moon or Equivalent. Veneer: Greenlam	sq. ft./r. ft.	1.00			
<b>2</b>	<b>FURNITURE</b>					
2.1	<b>Teller</b>					
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back and exposed surfaces finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in SS drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
2.2	<b>Reception Table</b>					
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
2.3	<b>Lower Height Cabinet</b>					
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
2.4	<b>Full Height Cabinet</b>					

SN.	Description of Item	Unit	Quantity	Rate (Rs.) without VAT	Rate in Words	Remarks
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.5</b>	<b>CEO/ Chairman Table</b>					
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.6</b>	<b>Workstation Table Inside Cubicles</b>					
	Providing and fixing furnitures made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. The drawers to be made out of 18mm thick block board for the front, sides to be made out of 12mm MR plywood and bottom to be made out of 10mm MR plywood and it should play in drawer sliding channels. The inside of drawers to be laminated in 0.65mm thick laminate of approved color. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.7</b>	<b>Showcase cabinet</b>					
	Providing and fixing showcase made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.8</b>	<b>Display Cabinet</b>					
	Providing and fixing showcase made out of 18mm MR ply board for top, sides & 10mm MR ply for back finished with 0.8 mm laminate. The shutters to be made out of 19mm block board with 0.8mm laminate. The necessary locks, handles, hinges etc. to be provided. Inside of units to be laminated with 0.65mm color laminates. All the exposed edges of the boards/plywoods to be covered with 1mm approved lippings. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.9</b>	<b>Wall Cladding</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			

SN.	Description of Item	Unit	Quantity	Rate (Rs.) without VAT	Rate in Words	Remarks
<b>2.10</b>	<b>Voucher Desk</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.11</b>	<b>Tables</b>					
	Providing and fixing in place tables made out of 18mm MR ply board for all sides, all exposed surfaces to be finished in 0.8mm laminate of approved shade. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent.	sq. ft.	1.00			
<b>2.12</b>	<b>Sofa</b>					
	Providing and supplying sofa with upholstered arm. Skeleton to be fabricated in Chilaune wood frame size 75mm x 38mm for sofa seat, back and arms with necessary slope for seat and back and necessary support for seat framing. Internal frame of sofa to be fixed with heavy duty spring covered with 100mm thick high density PU foam (50kg/m3). PU Foam make: Surya, Everest or Equivalent, Upholstery:					
	2 sitter sofa	nos	1.00			
	3 sitter sofa	nos	1.00			
	4 sitter sofa	nos	1.00			
<b>2.12</b>	<b>Chair</b>					
	<b>Visitor's chair</b>					
	With arm and backrest padded with polyurethane form and frame in cantilever having height 850mm,depth 450mm,width 500mm. Chinese or Indian make with 2 years warranty	nos	1.00			
	<b>Working chair</b>					
	With arm and backrest padded with polyurethane form and frame in cantilever having height 850mm,depth 450mm,width 500mm. Chinese or Indian make with 2 years warranty	nos	1.00			
	<b>Boss chair</b>					
	With arm and backrest padded with polyurethane form and frame in cantilever having height 850mm,depth 450mm,width 500mm. Chinese or Indian make with 2 years warranty	nos	1.00			
<b>3</b>	<b>WOODEN PARTITION</b>					
<b>3.1</b>	<b>Full Height Partition</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood and 12mm MR MDF. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade or polished in wooden finish as necessary all complete.	sq. ft.	1.00			
<b>3.2</b>	<b>Low Height Partition</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood and 12mm MR MDF and 6mm of glass. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade or polished in wooden finish as necessary all complete.	sq. ft.	1.00			
<b>3.3</b>	<b>Aluminum Structural Glazing</b>					
	Providing & fixing in position open partition made out of of 6mm glass and aluminum of approved shade and specification all complete including work	sq. ft.	1.00			
<b>3.4</b>	<b>Column Cladding</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade.	r. ft.	1.00			
<b>3.5</b>	<b>Central Banding</b>					
	Providing & fixing in position open partition made out of of 12mm MR plywood. All exposed surfaces to be laminated with 0.8mm thick laminate of approved shade.	r. ft.	1.00			
<b>4</b>	<b>DOOR</b>					
<b>4.1</b>	<b>VAULT DOOR</b>					
	Supply and install heavy duty vault room door	nos	1.00			
<b>4.2</b>	<b>Doors</b>					

SN.	Description of Item	Unit	Quantity	Rate (Rs.) without VAT	Rate in Words	Remarks
	Supply and fix in position heavy double paneled door made out of 38mm block board with edges covered in 20mm thk. Jungali seesam wood. All exposed surfaces to be covered in approved color laminate as per design and instruction of engineer. Includes cost of heavy duty hinges (4 for each door) and heavy duty deadbolt lock with a minimum of 3 pins or cylinder mortise lock as necessary. Ply: Hitech, Moon or Equivalent. Laminates: Merino, Trend or Equivalent. Hinges and channels: SS Hinge of Indian Make, Nuomi or Equivalent. Glue: Fevicol Marine, JivanJor Watershield or Equivalent. Mortise lock	nos	1.00			
4.3	<b>Aluminum Structural Door</b>					
	Providing & fixing in position open partition made out of of 6mm glass and aluminum of approved shade and specification all complete including work	sq. ft.	1.00			
4.4	<b>Sliding Door</b>	each	1.00			
	Providing and fixing A grade 36mm thick BWR door with 12mm wild seesam wood banding on all the edges and both side fixed with 0.8mm thick laminate as required and fixing of all stainless steel fixtures fastenings, door closure, mortice lock (Godrej or equivalent), handle etc.,door stopper as required.					
4.5	<b>Channel Gate</b>	nos	1.00			
5	<b>Kitchen Accessories</b>					
5.1	<b>Sink and Faucet</b>					
	Providing and fixing in position 18"x18" hand made SS kitchen sink with 4mm thk. Polymer lining on the back for sound damping including sink faucet.	each	1.00			
5.2	<b>Cooking Range</b>					
	Providing and fixing in position double burner cooking range with battery operated spark generator.	each	1.00			
5.3	<b>Chimney</b>					
	Providing and fixing in position 900mm wide chimney with 1250 m3/sec capacity.	each	1.00			
6	<b>Glass Partition Work</b>					
	Providing and fixing in position 12 mm thick toughened glass partition of approved make along with a partition as required and fixing of all stainless steel fixtures fastenings, handles and door runners..	sq. ft.	1.00			
7	<b>Furnishing</b>					
	Roller Blinds	sq. ft.	1.00			
<b>Note :- All item mentioned above should be supply and install all complete as per the requirements of Office and instruction of Site Engineer.</b>						